

**Peer reviewed journals****In press****2013**

- JELTSCH, F., BLAUM, N., **BROSE, U.**, CHIPPERFIELD, J.D., CLOUGH, Y., FARWIG, N., GEISSLER, K., GRAHAM, C.H., GRIMM, V., HICKLER, T., HUTH, A., MAY, F., MEYER, K.M., PAGEL, J., REINEKING, B., RILLIG, M.C., SHEA, K., SCHURR, F.M., SCHRÖDER, B., TIELBÖRGER, K., WEISS, L., WIEGAND, K., WIEGAND, T., WIRTH, C., ZURELL, D. (2013): How can we bring together empiricists and modellers in functional biodiversity research? *Basic and Applied Ecology*, 14(2): 93-101.
- KALINKAT, G., SCHNEIDER, F.D., DIGEL, C., GUILL, C., RALL, B.C. & **BROSE, U.** (2013): Body masses, functional responses and predator-prey stability. *Ecology Letters*, doi:10.1111/ELE.12147
- KALINKAT, G., **BROSE, U.** & RALL, B.C. (2013): Habitat structure alters top-down control in litter communities. *Oecologia*, doi:10.1007/s00442-012-2530-6
- SCHNEIDER, F.D., & **BROSE, U.** (2013): Beyond diversity: how nested predator effects control ecosystem functions. *Journal of Animal Ecology*, 82; 64-71.
- GOMEZ-CANCHONG, P., QUINONES, R.A. & **BROSE, U.** (2013): Robustness of size-structure across ecological networks in pelagic systems. *Theoretical Ecology*, 6: 45-56.

**2012**

- THOMPSON, R.M., **BROSE, U.**, DUNNE, J.A., HALL JR., R.A., HLADYZ, S., KITCHING, R.L., MARTINEZ, N.D., RANTALA, H., ROMANUK, T.N., STOUFFER, D.B. & TYLIANAKIS, J.M. (2012): Food webs: reconciling the structure and function of biodiversity. *Trends in Ecology and Evolution*, 27(12): 689–697.
- TWOMEY, M., BRODTE, E., JACOB, U., **BROSE, U.**, CROWE, T.P. & EMMERSON, M.C. (2012): Idiosyncratic species effects confound size-based predictions of responses to climate change. *Philosophical Transactions of the Royal Society B*, 367(1605): 2971-2978.
- JOCHUM, M., SCHNEIDER, F.D., CROWE, T.P., **BROSE, U.** & O'GORMAN, E.J. (2012): Climate-induced changes in bottom-up and top-down processes independently alter a marine ecosystem. *Philosophical Transactions of the Royal Society B*, 367(1605): 2962-2970.
- BROSE, U.**, DUNNE, J.A., MONTOYA, J.M., PETCHEY, O.L., SCHNEIDER, F.D. & JACOB, U. (2012): Climate change in size-structured ecosystems. *Philosophical Transactions of the Royal Society B*, 367(1605): 2903-2912.
- BINZER, A., GUILL, C., **BROSE, U.** & RALL, B.C. (2012): The dynamics of food chains under climate change and nutrient enrichment. *Philosophical Transactions of the Royal Society B*, 367(1605): 2935-2944.

- OTT, D., RALL, B.C. & BROSE, U. (2012): Climate change effects on macrofaunal litter decomposition: the interplay of temperature, body masses and stoichiometry. *Philosophical Transactions of the Royal Society B*, 367(1605): 3025-3032.
- RALL, B.C., BROSE, U., HARTVIG, M., KALINKAT, G., SCHWARZMÜLLER, F., VUCIC-PESTIC, O. & PETCHEY, O.L. (2012): Universal temperature and body-mass scaling of feeding rates. *Philosophical Transactions of the Royal Society B*, 367(1605): 2923-2934.
- SCHNEIDER, F. D., SCHEU, S. & BROSE, U. (2012): Body mass constraints on feeding rates determine the consequences of predator loss. *Ecology Letters* 15(5): 436-443.
- LANG, B., RALL, B.C., BROSE, U. (2012): Warming effects on consumption and intraspecific interference competition depend on predator metabolism. *Journal of Animal Ecology* 81(3): 516-523.
- KEFI, S., BERLOW, E.L., WIETERS, E.A., NAVARRETE, S.A., PETCHEY, O.L., WOOD, S.A., BOIT, A., JOPPA, L.N., LAFFERTY, K.D., WILLIAMS, R.J., MARTINEZ, N.D., MENGE, B.A., BLANCHETTE, C.A., ILES, A.C. & BROSE, U. (2012): More than a meal... integrating non-feeding interactions into food webs. *Ecology Letters* 15(4): 291-300.
- HECKMANN, L., DROSSEL, B., BROSE, U. & GUILL, C. (2012): Interactive effects of body-size structure and adaptive foraging on food-web stability. *Ecology Letters* 15(3): 243-250.

## 2011

- BROSE, U. (2011): Extinctions in complex size-structured communities. *Basic and Applied Ecology* 12(7): 557-561.
- CURTSDOTTER, A., BINZER, A., BROSE, U., DE CASTRO, F., EBENMAN, B., EKLÖF, A., RIEDE, J.O., THIERRY, A., RALL, B.C. (2011): Robustness to secondary extinctions: comparing trait-based sequential deletions in static and dynamic food webs. *Basic and Applied Ecology* 12(7): 571-580.
- RIEDE, J.O., BINZER, A., BROSE, U., DE CASTRO, F., CURTSDOTTER, A., RALL, B.C., EKLÖF, A., (2011): Size-based food-web characteristics govern the response to species extinctions. *Basic and Applied Ecology* 12(7): 581-589.
- BINZER, A., BROSE, U., CURTSDOTTER, A., EKLÖF, A., RALL, B.C., RIEDE, J.O., DE CASTRO, F. (2011): The susceptibility of species to extinctions in model communities. *Basic and Applied Ecology* 12(7): 590-599.
- EHNES, R.B., RALL, B.C. & BROSE, U. (2011): Phylogenetic grouping, curvature and metabolic scaling in terrestrial invertebrates. *Ecology Letters*, 14: 993 – 1000.
- DIGEL, C., RIEDE, J.O. & BROSE, U.: Body sizes, cumulative and allometric degree distributions across natural food webs. *Oikos* 120: 503-509.
- RALL, B.C., KALINKAT, G., OTT, D., VUCIC-PESTIC, O. & BROSE, U. (2011): Taxonomic versus allometric constraints on non-linear interaction strengths. *Oikos* 120: 483-492.
- Riede, J., Brose, U., Ebenman, B., Jacob, U., Thompson, R., Townsend, C.R., & Jonsson, T. (2011): Stepping in Elton's footprints: a general scaling model for body masses and trophic levels across ecosystems. *Ecology Letters* 14: 169-178.



VUCIC-PESTIC, O., EHNES, R., RALL, B.C., & BROSE, U. (2011): Warming up the system: higher predator feeding rates, but lower energetic efficiencies. *Global Change Biology* 17: 1301-1310.

## 2010

BROSE, U. (2010): Improving nature conservancy strategies by ecological network theory. *Basic and Applied Ecology* 11: 1-5.

BROSE, U. (2010): Body-mass constraints on foraging behaviour determine population and food-web dynamics. *Functional Ecology* 24: 28-34.

PETCHEY, O.L., BROSE, U. & RALL, B.C. (2010): Predicting the effects of temperature on food web connectance. *Philosophical Transactions of the Royal Society B* 365: 2081- 2091.

RALL, B.C., VUCIC-PESTIC, O., EHNES, R.E., EMMERSON, M. & BROSE, U. (2010): Temperature, predator-prey interaction strength and population stability. *Global Change Biology* 16: 2145 – 2157.

RIEDE, J.O., RALL, B.C., BANASEK-RICHTER, C., NAVARRETE, S.A., WIETERS, E.A., EMMERSON, M.C., JACOB, U. & BROSE, U. (2010): Scaling of food web properties with diversity and complexity across ecosystems. *Advances in Ecological Research* 42: 139-170.

VUCIC-PESTIC, O., BIRKHOFER, K., RALL, B.C., SCHEU, S. & BROSE, U. (2010): Habitat structure and prey aggregation determine the functional response in a soil predator-prey interaction. *Pedobiologia* 53: 307 – 312.

VUCIC-PESTIC, O., RALL, B.C., KALINKAT, G. & BROSE, U. (2010): Allometric functional response models: body masses constrain interaction strengths. *Journal of Animal Ecology* 79: 249-256.

## 2009

ROMANUK, T.N., ZHOU, Y., BROSE, U., BERLOW, E.L., WILLIAMS, R.J. & MARTINEZ, N.D. (2009): Predicting invasion success in complex ecological networks. *Phil. Trans. R. Soc. B* 364: 1743 – 1754.

BERLOW, E.L., DUNNE, J.A., MARTINEZ, N.D., STARK, P.B., WILLIAMS, R.J. & BROSE, U. (2009): Simple prediction of interaction strengths in complex food webs. *PNAS* 106: 187-191.

## 2008

BROSE, U. (2008): Complex food webs prevent competitive exclusion among producer species. *Proceedings of the Royal Society B* 275: 2507 - 2514.

BROSE, U., EHNES, R.B., RALL, B.C., VUCIC-PESTIC, O., BERLOW, E.L. & SCHEU, S. (2008): Synthesizing foraging theory and macroecology to predict predator-prey energy fluxes. *Journal of Animal Ecology* 77: 1072 - 1078.

BERLOW, E.L., BROSE, U. & MARTINEZ, N.D. (2008): The Goldilocks factor in food webs, *PNAS* 105: 4079-4080.

RALL, B.C., GUILL, C. & BROSE, U. (2008): Food-web connectance and predator interference dampen the paradox of enrichment. *Oikos* 117: 202 - 213.

OTTO, S., BERLOW, E.L., RANK, N. & BROSE, U. (2008): The diversity and identity of predators drive interaction strengths and trophic cascades in a montane food web. *Ecology* 89: 134-144.

### 2007

OTTO, S., RALL, B.C., & BROSE, U. (2007): Allometric degree distributions facilitate food web stability. *Nature* 450: 1226-1229.

UCHIDA, S., DROSSEL, B. & BROSE, U. (2007): The structure of food webs with adaptive behaviour. *Ecological Modelling* 206: 263-276.

### 2006

BROSE, U., WILLIAMS, R.J. & MARTINEZ, N.D. (2006): Allometric scaling enhances stability in complex food webs. *Ecology Letters* 9: 1228-1236.

BROSE, U. et al. (2006): Consumer-resource body-size relationships in natural food webs. *Ecology* 87: 2411-2417.

### 2005

BROSE, U., BERLOW, E.L. & MARTINEZ, N.D. (2005): Scaling up keystone effects from simple to complex ecological networks. *Ecology Letters* 8: 1317–1325.

BROSE, U. et al. (2005): Body sizes of consumers and their resources. *Ecology* 86: 2545.

BROSE, U. & TIELBÖRGER, K. (2005): Subtle differences in environmental stress along a flooding gradient affect the importance of interspecific competition in an annual plant community. *Plant Ecology* 178: 51-59.

### 2004

BROSE, U., OSTLING, A., HARRISON, K. & MARTINEZ, N.D. (2004): Unified spatial scaling of species and their trophic interactions. *Nature* 428: 167-171.

BROSE, U. & MARTINEZ, N.D. (2004): Estimating the richness of species with variable mobility. *Oikos* 105: 292-300.

TEWS, J., BROSE, U., GRIMM, V., TIELBÖRGER, K., WICHMANN, M.C., SCHWAGER, M. & JELTSCH, F. (2004): Animal species diversity driven by habitat heterogeneity/diversity: the importance of keystone structures. *Journal of Biogeography* 31: 79-92.

### 2003

BROSE, U., WILLIAMS, R.J. & MARTINEZ, N.D. (2003): The niche-model recovers the negative complexity-stability relationship in adaptive food webs – Comment on “Foraging adaptation and the relationship between food-web complexity and stability”. *Science* 301: 918.

BROSE, U., MARTINEZ, N.D. & WILLIAMS, R.J. (2003): Estimating species richness: sensitivity to sample coverage and insensitivity to spatial patterns. *Ecology* 84: 2364-2377.

BROSE, U. (2003): Island biogeography of temporary wetland's carabid beetle communities. *Journal of Biogeography* 30: 879-888.

**BROSE, U.** (2003): Regional diversity of temporary wetland Carabid beetle communities: a matter of landscape features or cultivation intensity? *Agriculture Ecosystems and Environment* 98:163-167.

**BROSE, U.** (2003): Bottom-up control of carabid beetle communities in early successional wetlands: mediated by vegetation structure or plant diversity? *Oecologia* 135: 407-413.

## 2002

**BROSE, U.** (2002): Estimating species richness of pitfall catches by non-parametric estimators. *Pedobiologia* 46: 101-107.

## 2001

**BROSE, U.** (2001): Relative importance of isolation, area and habitat heterogeneity for vascular plant species richness of temporary wetlands in East-German farmland. *Ecography* 24: 722-730.

### Peer reviewed book chapters

**BROSE, U.** & DUNNE, J.A. (2009): Modelling the dynamics of complex food webs. In: Verhoef, H. & Morin, P.J. (eds.): *Community Ecology*, Academic Press, pp. 37-44.

STEIDLE, J.L.M., SCHEU, S., **BROSE, U.** & KRONBERG, I. (2009): Ökologie und Evolutionsforschung – Wissenschaft zum Überleben. In: MUNK, K. (ed.): *Taschenlehrbuch Biologie: Ökologie Evolution*, Georg Thieme Verlag, Stuttgart, New York.

SCHEU, S., STEIDLE, J.L.M., **BROSE, U.** & KRONBERG, I. (2009): Ökologie der Individuen: Umweltbedingungen, Ressourcen, Nischen und Verbreitungsgebiet. In: MUNK, K. (ed.): *Taschenlehrbuch Biologie: Ökologie Evolution*, Georg Thieme Verlag, Stuttgart, New York.

STEIDLE, J.L.M., **BROSE, U.**, SCHEU, S & KRONBERG, I. (2009): Ökologie von Populationen: Wachstum, Interaktion und Dynamik. In: MUNK, K. (ed.): *Taschenlehrbuch Biologie: Ökologie Evolution*, Georg Thieme Verlag, Stuttgart, New York.

**BROSE, U.**, SCHEU, S, STEIDLE, J.L.M. & KRONBERG, I. (2009): Ökologie der Gemeinschaften. In: MUNK, K. (ed.): *Taschenlehrbuch Biologie: Ökologie Evolution*, Georg Thieme Verlag, Stuttgart, New York.

WILLIAMS, R.J., **BROSE, U.** & MARTINEZ, N.D. (2007): Homage to Yodzis and Innes 1992: Scaling up feeding-based population dynamics to complex ecological networks, In: ROONEY, N., McCANN, K.S. & NOAKES, D.L.G. (eds.): *From energetics to ecosystems: The dynamics and structure of ecological systems*, The Peter Yodzis Fundamental Ecology Series, Volume 1, Springer Verlag, Dordrecht, The Netherlands, pp. 37-51.

**BROSE, U.**, BERLOW, E.L. & MARTINEZ, N.D. (2005): From food webs to ecological networks: linking non-linear trophic interactions with nutrient competition. In: *Dynamic Food*

Webs: Multispecies assemblages, ecosystem development, and environmental change, eds. P.C. de Ruiter, V. Wolters, & J.C. Moore, Academic Press, pp. 27-36.

**BROSE, U.** *et al.* (2005): Spatial aspects of food webs. In: Dynamic Food Webs: Multispecies assemblages, ecosystem development, and environmental change, eds. P.C. de Ruiter, V. Wolters, & J.C. Moore, Academic Press, pp. 463-469.

DUNNE, J.A., **BROSE, U.**, WILLIAMS, R.J. & MARTINEZ, N.D. (2005): Modeling food-web structure and dynamics: implications for complexity-stability. In: Aquatic Food Webs: An Ecosystem Approach, eds. A. Belgrano et al. Oxford University Press, pp. 117-129.